

Declaration of Performance

Ref no. - CENTRALRPL - DoP 01 - 2013-Feb

| | | |
|---|--------------------------------------|--|
| 1 | Product type: | Glazed PVCU casement window |
| 2 | Product Type number: | Diamond Suite |
| 3 | Intended use: | Domestic and Commercial use |
| 4 | Manufacturer: | Central RPL |
| 5 | Authorised Representative: | Not applicable |
| 6 | System of assessment of performance: | 3 |
| 7 | Reference hamonised standard | BS EN 14351-1:2006 + A1:2010 British Board of Agrément (NB no. 0836) performed verification tasks and issued Assessment Report S2/49532 Iss 2 |
| 8 | European technical Assessment: | Not applicable |
| 9 | Declared performance: | |

| Essential Characteristic | Performance | Hamonised Technical Specification |
|--|-------------------------|-----------------------------------|
| Watertightness | npd | BS EN 14351-1:2006 + A1:2010 |
| Resistance to wind load | npd | |
| Air permeability | npd | |
| Dangerous substances | None | |
| Load bearing capacity of safety device | Pass, 350N | |
| Acoustic performance | ≥ 32 db | |
| Thermal transmittance | ≤ 1.8W/m ² K | |
| Radiation properties | npd | |

10 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by :

MARTYN ELWELL - DIRECTOR
(name and title)

West Bromwich - Feb 13
(place and date of issue)



.....
(signature)